EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S96	4	(("6154791") or ("5367647")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 12:07
S97	55	("4727475" | "4773005" | "4783730" | "4821170" | "4864532" | "4965801" | "5033049" | "5068785" | "5081578" | "5129072" | "5163131" | "5175822" | "5182800" | "5239632" | "5283872" | "5293624").PN. OR ("5367647").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/10 12:16
S98	20	("5367647" | "5535400" | "5586271" | "5598538" | "5634081" | "5640593" | "5721880" | "5845154" | "5961613" | "5968147" | "6035384" | "6058436" | "6061752" | "6233693").PN. OR ("6233625" | "6408394").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 09:24
S37	5	(S36) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:24
S99	20	(S98) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:25
S101	55	("4727475" | "4773005" | "4783730" | "4821170" | "4864532" | "4965801" | "5033049" | "5068785" | "5081578" | "5129072" | "5163131" | "5175822" | "5182800" | "5239632" | "5283872" | "5293624").PN. OR ("5367647").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 09:26
S100	4	(("6154791") or ("5367647")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:26

S10 3	18	("4346342" | "4695737" | "5013995" | "5294879" | "5714873" | "5774734" | "5919262" | "5926394" | "6147847" | "6229292" | "6233625" | "6310792" | "6472899" | "6566848" | "6772356" | "6839854" | "6874083" | "6883152").PN. OR ("7093140").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 09:31
S10 2	16	(S98 not (S100 S101)) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:32
S10 5	2500	(365/226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:36
S10 6	617	(365/228).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:45
S11 0	595	(365/206).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:46
S10 9	316	(714/22).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:46
S10 8	279	(714/14).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:46
S11 3	632	(S105 S106) and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:48
S11 2	190	(S108 S109 S110) and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:48

S10 4	17	(S103 not (S98 S100 S101)) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:51
S11 6	569	(S113 not (S112 S103 S98 S100 S101)) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 09:52
S11 7	8	("3560765").PN. OR ("5136186"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 10:42
S11 8	9	("4999516" | "5121358").PN. OR ("5163025").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 11:08
S11 9	9	("5001670" | "5070481" | "5121007").PN. OR ("5371709"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 11:13
S10 7	117022	((power$3 adj (up ups on ons)) reset$4 restart$3 start-up$1 startup$1 (start$3 adj up$1)) with (volt$1 voltage$1 current$1 amperage$1 amp$1 surge$1 spike$1 nois$2 fluctuat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 11:28
S11 5	181	(S112 not (S103 S98 S100 S101)) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 11:30
S11 4	15	(S105 S106 S108 S109 S110) and S107	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 11:30
S11 1	803	(S105 S106 S108 S109 S110) and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 11:30
S12 0	119060	((power$3 adj (up ups on ons)) power-up$1 power-on$1 reset$4 restart$3 start-up$1 startup$1 (start$3 adj up$1)) with (volt$1 voltage$1 current$1 amperage$1 amp$1 surge$1 spike$1 nois$2 fluctuat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 14:23

S12 2	40	(S121 not S111) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 14:25
S12 1	844	(S105 S106 S108 S109 S110) and S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 14:25
S12 3	136345	((power$3 adj (up ups on ons)) power-up$1 power-on$1 reset$4 restart$3 start-up$1 startup$1 (start$3 adj up$1) initiali$7) with (volt$1 voltage$1 current$1 amperage$1 amp$1 surge$1 spike$1 nois$2 fluctuat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 14:27
S12 5	104	(S124 not S111) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 14:28
S12 4	912	(S105 S106 S108 S109 S110) and S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 14:28
S12 6	138102	((power$3 adj (up ups on ons)) power-up$1 power-on$1 powering-on powering-up (switch$3 adj (on ons)) switching-on reset$4 restart$3 start-up$1 startup$1 (start$3 adj up$1) initiali$7) with (volt$1 voltage$1 current$1 amperage$1 amp$1 surge$1 spike$1 nois$2 fluctuat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 15:00
S13 0	921	(S105 S106 S108 S109 S110) and S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 15:02
S12 8	106	(S127 not S111) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 15:02

EAST Search History

S12 7	914	(S105 S106 S108 S109 S110) and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 15:02
S13 4	10	("5560022" | "5721933" | "5742833" | "5787294" | "5872983" | "6601178").PN. OR ("6735706").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 15:11
S13 3	2	("6735706").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 15:11
S13 2	5	("2002/0104031").URPN.	USPAT	OR	OFF	2007/02/12 15:11
S13 6	31	("4612531" | "5003192" | "5109257" | "5177705" | "5199032" | "5274827" | "5663918" | "5864569" | "5943263").PN. OR ("6256229" | "6266277" | "6272048" | "6339547" | "6392928" | "6434046" | "6438033" | "6469936" | "6542408" | "6552933" | "6552934").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 15:30
S13 5	27	("5003192" | "5109257" | "5199032" | "5274827" | "5663918").PN. OR ("5943263"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/02/12 15:30
S13 7	63	((S117 S118 S119 S132 S134 S135 S136) not (S130 S103 S98 S100 S101)) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:32
S13 8	105	S129 same nvram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:35

EAST Search History

S14 0	3153	S129 and (potentiometer$1 ((adjust$5 alter$6 modif$8 vary$3 variabl$1) adj (resist$5 impedance$1)) varistor$1 (voltage adj dependen$2 adj resistor$1)) and (((pulldown pull-down (pull$3 adj down)) near (voltage resistor$1)) ((voltage resistor potential) adj divider$1)) and (memor$3 data nvram ram rom eeprom eprom nvmem ((non-volatile nonvolatile) adj (memor$3 ram (random adj access adj memor$3))) storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:37
S14 2	315	(S129 same (memor$3 data nvram ram rom eeprom eprom nvmem ((non-volatile nonvolatile) adj (memor$3 ram (random adj access adj memor$3))) storage)) and ((potentiometer$1 ((adjust$5 alter$6 modif$8 vary$3 variabl$1) adj (resist$5 impedance$1)) varistor$1 (voltage adj dependen$2 adj resistor$1)) same (((pulldown pull-down (pull$3 adj down)) near (voltage resistor$1)) ((voltage resistor potential) adj divider$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:39
S14 1	998	(S129 same (memor$3 data nvram ram rom eeprom eprom nvmem ((non-volatile nonvolatile) adj (memor$3 ram (random adj access adj memor$3))) storage)) and (potentiometer$1 ((adjust$5 alter$6 modif$8 vary$3 variabl$1) adj (resist$5 impedance$1)) varistor$1 (voltage adj dependen$2 adj resistor$1)) and (((pulldown pull-down (pull$3 adj down)) near (voltage resistor$1)) ((voltage resistor potential) adj divider$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:39

S14 3	5	(S129 same (memor$3 data nvram ram rom eeprom eprom nvmem ((non-volatile nonvolatile) adj (memor$3 ram (random adj access adj memor$3))) storage)) same ((potentiometer$1 ((adjust$5 alter$6 modif$8 vary$3 variabl$1) adj (resist$5 impedance$1)) varistor$1 (voltage adj dependen$2 adj resistor$1)) same (((pulldown pull-down (pull$3 adj down)) near (voltage resistor$1)) ((voltage resistor potential) adj divider$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:40
S14 4	4	(S142 and "365".clas.) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:41
S13 1	113	(S130 not S111) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:41
S12 9	141236	((power$3 adj (up ups on ons)) power-up$1 power-on$1 powering-on powering-up (switch$3 adj (on ons)) switching-on reset$4 restart$3 start-up$1 startup$1 (start$3 adj up$1) initiali$7) with (volt$1 voltage$1 current$1 amperage$1 amp$1 surge$1 spike$1 nois$2 fluctuat$4 transient$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:49
S14 9	0	S146 and ("365" "714" "710" "711" "713").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:51
S14 8	0	S146 and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029") and ("365" "714" "710" "711" "713").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:51

S146	25	(((power$3 adj (up ups on ons)) power-up$1 power-on$1 powering-on powering-up (switch$3 adj (on ons)) switching-on reset$4) with (memory near corrupt$4)) and (potentiometer$1 ((adjust$5 alter$6 modif$8 vary$3 variabl$1) adj (resist$5 impedance$1)) varistor$1 (voltage adj dependen$2 adj resistor$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:51
S145	0	(((power$3 adj (up ups on ons)) power-up$1 power-on$1 powering-on powering-up (switch$3 adj (on ons)) switching-on reset$4) with (memory near corrupt$4)) same (potentiometer$1 ((adjust$5 alter$6 modif$8 vary$3 variabl$1) adj (resist$5 impedance$1)) varistor$1 (voltage adj dependen$2 adj resistor$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:51
S139	98	(S138) and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:51
S147	25	S146 and (@ad<="20031029" @pd<="20031029" @rlad<="20031029" @prad<="20031029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 17:52

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(minimiz$6 and memory and corrupt$4 and potentiometer$1 and voltage and divider$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 18:58